

## कार्यालय मुख्य निर्वाचन पदाधिकारी, मध्यप्रदेश

17, अरेरा हिल्स, पोस्ट बॉक्स नंबर 1164 भोपाल

दूरभाष- 2550488,2550446,2551282 फेक्स-0755-2555162

E-Mail: chiefelectoralofficermp@gmail.com, website: ceomadhyapradesh.nic.in

फा.क्र.15/14/2019/4033

भोपाल, दिनांक 10/3/19

प्रति,

कलेक्टर एवं  
जिला निर्वाचन अधिकारी,  
समस्त, मध्यप्रदेश।

विषय:—मतदान एवं मतगणना के पश्चात् Polled एवं UNPolled ईवीएम—व्हीवीपीएटी के स्टोरेज – स्पष्टीकरण बावत्।


- संदर्भ:—
1. भारत निर्वाचन आयोग का पत्र क्र 51/8/7/2019-EMPS दिनांक 01.03.2019
  2. ईवीएम—व्हीवीपीएटी का मैन्यूअल फरवरी 2019 दस्तावेज 2 संस्करण 4
  3. भारत निर्वाचन आयोग का पत्र क्र. 51/8/7/2018-EMS दिनांक 3 नवम्बर 2018
  4. भारत निर्वाचन आयोग का पत्र क्र. 51/8/7/2018-EMS दिनांक 6 दिसम्बर 2018
  5. भारत निर्वाचन आयोग का पत्र क्र. 51/8/7/2019-EMPS दिनांक 29 जनवरी 2019

कृपया आयोग के सन्दर्भित पत्रों का अवलोकन करें। भारत निर्वाचन आयोग के पत्र दिनांक 3 नवम्बर 2018, दिनांक 6 दिसम्बर 2018 तथा ईवीएम—व्हीवीपीएटी का मैन्यूअल फरवरी 2019 दस्तावेज 2 संस्करण 4 अध्याय 10 के पैरा 10.13 के तारतम्य में ईवीएम व्हीवीपीएटी की Category 'A' & 'B' (i.e. polled and defective polled) and Category 'C' & 'D' (i.e. defective unpolled and unused reserve) के संबंध में स्पष्ट किया है:—

- (a) EVMs and VVPATs of Category 'C' (i.e. defective unpolled) shall be kept in a separate strongroom designated as 'Repair Room'
- (b) EVMs and VVPATs of Category 'D' (i.e. unused reserve) shall be kept securely in a different strongroom, which shall not be in the vicinity of PC/AC strong room, so that EVMs and VVPATs of category 'D' can be used for subsequent elections or any other purpose immediately after polls.
- (c) In no case, EVMs and VVPATs of Category 'C'(i.e.defective unpolled) and EVMs and VVPATs of Category 'D'(i.e. unused reserve) shall be mixed and kept in the same room.

उक्त निर्देशों की प्रति रिटर्निंग ऑफिसर, सहायक रिटर्निंग ऑफिसर एवं संबंधितों को प्रदाय करें तथा दिए गए निर्देशों का कड़ाई से पालन सुनिश्चित करें/करावें।

संलग्न:—उपरोक्तानुसार


  
(प्रसाद शुक्ला)  
10/3/19

उप मुख्य निर्वाचन पदाधिकारी  
मध्यप्रदेश

पृ.क्र.15/14/2019/4034  
प्रतिलिपि:-

भोपाल, दिनांक 10/3/19

1. श्री मधूसुदन गप्ता, अवर सचिव, भारत निर्वाचन आयोग, निर्वाचन सदन, नई दिल्ली
2. रिटर्निंग ऑफिसर एवं सहायक रिटर्निंग ऑफिसर समस्त संसदीय क्षेत्र एवं विधानसभा निर्वाचन क्षेत्र, मध्यप्रदेश।

  
10/3/19

(प्रमोद शुक्ला)  
उप मुख्य निर्वाचन पदाधिकारी  
मध्यप्रदेश

# ELECTION COMMISSION OF INDIA

NIRVACHAN SADAN, ASHOKA ROAD, NEW DELHI-110001

No. 51/8/7/2019-EMPS

Dated: 1<sup>st</sup> March, 2019

To

The Chief Electoral Officers of  
All States & Union Territories.

Subject: General Instructions on Storage of Polled and Unpolled EVMs & VVPATs after  
Poll and Counting – Clarification – Regarding.

Reference: 1. ECI letter No.51/8/7/2018-EMS, dated 3<sup>rd</sup> November, 2018;  
2. ECI letter No.51/8/7/2018-EMS, dated 6<sup>th</sup> December, 2018; and  
3. ECI letter No.51/8/7/2019-EMPS, dated 29<sup>th</sup> January, 2019.

Madam/Sir,

I am directed to invite your attention to the Commission's letters under reference numbers 1 & 2 and Para 10.13 of Chapter-10 of Manual on EVM and VVPAT– February, 2019, Document No.2, Edition-4, specifically pertaining to the storage of EVMs and VVPATs of Category 'A' & 'B' (i.e. polled and defective polled) and Category 'C' & 'D' (i.e. defective unpolled and unused reserve) after poll and to clarify that-

- (a) EVMs and VVPATs of Category 'C' (i.e. defective unpolled) shall be kept in a separate strongroom designated as 'Repair Room'.
- (b) EVMs and VVPATs of Category 'D' (i.e. unused reserve) shall be kept securely in a different strongroom, which shall not be in the vicinity of PC/AC strong room, so that EVMs and VVPATs of Category 'D' can be used for subsequent elections or any other purpose immediately after polls.
- (c) In no case, EVMs and VVPATs of Category 'C' (i.e. defective unpolled) and EVMs and VVPATs of Category 'D' (i.e. unused reserve) shall be mixed and kept in the same room.

Yours faithfully,

(Madhusudan Gupta)  
Under Secretary